



# TONGUE FRENULUM PROTOCOL

## Picture Table for the speech evaluation





**Table with the words for speech evaluation**

Picture	Patient production	Picture	Patient production
Clock		Cockroach	
Pencil		Strawberry	
Cat		Giraffe	
Dice		Door	
Bird		Rabbit	
Sofa		Lion	
Scissors		Plate	
House		Train	
Bike		Dragon	
Star		Letter	
Truck		License plate	
Eye		Arrow	
Key		Blouse	
Airplane		Flute	
Butterfly		Radio	
Dog		Car	
Phone		Zebra	
Flower		Blue wing	
Gift		Umbrella	
Alligator		Fish	
Hammer		Horse	
Cross		Ladybug	
Grass		Chicken	
Owl		Crown	
Athlete		Globe	

### Examples of different frenulum types

(A) Normal: it is attached from underneath the tongue to the floor of the mouth. In general, the frenulum is visible from the tongue down to the saliva caruncles.

(B) Anterior: when the frenulum is attached, underneath the tongue, at any point between the tongue midpoint and the apex.

(C) Short: it is attached underneath the tongue, as in the normal frenulum, but it is shorter than normal. In general, the frenulum is still visible underneath the tongue touching the alveolar crest.

(D) Short and anterior: a combination of (B) and (C).

(E) Ankyloglossia: when there is lack of or minimal lingual frenulum or the frenulum is attached to the apex of the tongue so that the tongue movements are very much limited.

